Modeong_2018_IOP_Conf._Ser. ___Mater._Sci._Eng._306_01208 2_1.pdf

Submission date: 13-Mar-2020 11:01AM (UTC+0700) Submission ID: 1274777584 File name: Modeong_2018_IOP_Conf._Ser.__Mater._Sci._Eng._306_012082_1.pdf (544.42K) Word count: 3834 Character count: 20432

IOP Conference Series: Materials Science and Engineering

PAPER · OPEN ACCESS

Utilization of Multimedia Laboratory: An Acceptance Analysis using TAM

To cite this article: M Modeong and V R Palilingan 2018 IOP Conf. Ser.: Mater. Sci. Eng. 306 012082

View the article online for updates and enhancements.

Related content

- 5 End-user satisfaction analysis on library End-user satisfaction analysis on library management system unnes using technology acceptance model towards national standard of integrated library W Hardyanto, A Purwinarko and M A Adhi 9
 Acceptance of Internet Banking Systems among Young Managers Mohd Shoki Md Arff, Yeow S M, Norhayati Zakuan et al.
- Zakuan et al.
- <u>Modeling the Determinants Influencing the</u> <u>Diffusion of Mobile Internet</u> Saleh Alwahaishi and Václav Snášel

This content was downloaded from IP address 36.84.49.180 on 11/12/2019 at 13:19

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 306 (2018) 012082 doi:10.1088/1757-899X/306/1/012082

Utilization of Multimedia Laboratory: An Acceptance Analysis using TAM

M Modeong* and V R Palilingan

Universitas Negeri Manado, Tondano 95618, Sulawesi Utara, Indonesia

*merriamisty.modeong@gmail.com

Abstract. Multimedia is often utilized by teachers to present a learning materials. Learning that delivered by multimedia enables people to understand the information of up to 60% of the learning in general. To applying the creative learning to the classroom, multimedia presentation needs a laboratory as a space that provides multimedia needs. This study aims to reveal the level of student acceptance on the multimedia laboratories, by explaining the direct and indirect effect of internal support and technology infrastructure. Technology Acceptance Model (TAM) is used as the basis of measurement on this research, through the perception of usefulness, ease of use, and the intention, it's recognized capable of predicting user acceptance about technology. This study used the quantitative method. The data analysis using path analysis that focuses on trimming models, it's performed to improve the model of path analysis structure by removing exogenous variables that have insignificant path coefficients. The result stated that Internal Support and Technology Infrastructure are well mediated by TAM variables to measure the level of technology acceptance. The implications suggest that TAM can measure the success of multimedia laboratory utilization in Faculty of Engineering UNIMA.

1. Introduction

Rapid development of current technologies are increasingly encouraging younger generation to follow in its footsteps. Even as educators, teachers also continues to renew their knowledge about technology in order to be able to present the newest learning method and material. Current education problems is that educators are faced with challenges and problems on how to find the best way to convey the concepts to students in order to be useful as an important information. The same thing happened in some instances constrained education like presentation as an interesting learning concept. Like a case in the Faculty of engineering in Universitas Negeri Manado (UNIMA), educators are always trying to present a theory that packed with catchy design media.

In the process of teaching and learning, technology connects all elements of learning -teachers, students, and the teaching materials – so that, can make the output of the education process [1]. Multimedia is a type of technology that is commonly used in the learning process. A combination between text, images, graphics, sounds, animations, and videos with artistic design, multimedia change the learning process become more interesting, allow the user to receive information 60% easier [2]. The process of learning using multimedia doesn't intend to replace the traditional learning process that has long been applied, but this method is used as a learning solution that attract the attention of students by combining some elements of technology in learning.



Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd 1

ICIEVE 2017 IOP Conf. Series: Materials Science and Engineering 306 (2018) 012082 doi:10.1088/1757-899X/306/1/012082

The laboratory is a place for student experiment to increase their active and vital participation in the learning process [3]. Herrington & Nakhleh [4] also mentioned that it is important to assess the students' perceptions toward learning instructions in the laboratory to find out the effectiveness about the learning process that has been done. This assessment is conducted to determine the user's response to the technology that being run. So, to answer the response, it needs a theory to measure the level of user's acceptance about technology. Assessment on laboratory utilization is done using the Technology Acceptance Model (TAM) that developed by Davis [5].

TAM is the intention-based models that are specifically intended to explain and/or predict user acceptance of technology [6]. TAM has core variables such as perceived usefulness, perceived ease of use, intention, and actual use. But TAM does not eliminate the possibility of situational variables that indicated can measure the level of technology acceptance. According to the conditions of Faculty of Engineering UNIMA, indicated that internal support and technology infrastructure become situational variables which can be applied as the determinant variable that connected to student acceptance of technology.

Internal support includes support from university's higher ranked officials and lecturers to direct and maximize practice-oriented learning, as well as provide the human resources that functioning as a laboratory assistant. The problems in the Faculty of engineering are some lecture materials that should be balanced with practice but only filled with theory or oral illustration. This is due to the unregulated laboratory utilization schedule and the lack of support from university officials towards the fulfillment of the laboratory needs and encouraging the practice-oriented learning.

Furthermore, the technology infrastructure related with the availability of technology tools, as well as the availability of laboratory support facilities. According to the condition of the multimedia laboratory in the faculty of engineering UNIMA, multimedia equipment is not well balanced with the number of students who often practice in the laboratory. In addition, the other support equipment such as digital camera, video recorder, LCD projector, etc. still need to be held in sufficient quantities for its users.

2. Research Model

In TAM theory, perceived about usefulness and ease of use are mediate the external variables' influence on behavioral intentions and then the actual use of the system can be known [7]. This opinion is evidenced by several studies that use TAM as a reference, among others: an open source elearning system such as moodle [7, 8], valid measurement scales for predicting user acceptance of information technology [5], Malaysian student and teachers' integrating their technology in teaching and learning [93 interactive learning technologies using clickers in the macroeconomics classes [10], and so on. The proposed research model is presented in Figure 1.




Figure 1. Proposed research model.

2.1 TAM variables

A system can be said to be successful if the system could provide a positive impact for its users. Positive impacts such as usability and ease of use that exist on the system, can support a particular

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 306 (2018) 012082 doi:10.1088/1757-899X/306/1/012082

work for individuals wis use it. PU and PEOU are the key factors that affect the behavioral intention to use technology [11]. Thus the hypotheses related with PU, PEOU, and intention are as follows:

Hypothesis 1: Perceived Usefulness have a positive direct effect on Intention Hypothesis 2: Perceived Ease of Use have a positive direct effect on Perceived Usefulness Hypothesis 3: Perceived Ease of Use have a positive direct effect on Intention Hypothesis 4: Intention have a positive direct effect on User Acceptance

2.2 Internal support (IS)

The physical and social environment variables are selected as situational variables that are believed to be capable affecting the variable of perceived usefulness, ease of use, and user acceptance [12]. The physical environment and the social environment describe the support of university officials and all lecturers to applying strategy on systematic learning. The hypotheses related with IS are provided below:

Hypothesis 5: Internal support have a positive direct effect on Perceived Usefulness Hypothesis 6: Internal support have a positive direct effect on Intention

Hypothesis 7: Internal support have a positive direct effect on Technology Infrastructure

Hypothesis 8: Internal support have a positive indirect effect on Intention

Hypothesis 9: Internal support have a positive indirect effect on User Acceptance

2.3 Technology infrasucture (TI)

Akande [13] revealed that learning can occur through a person's interaction with his/her environment. The environment here refers to the facilities that are available to facilitate the student when learning. Because the facilities are believed to be able to help students to develop a problem solving ability [14]. Thus the hypotheses related with TI are as follows:

Hypothesis 10: Technology Infrastructure have a positive direct effect on Perceived Usefulness Hypothesis 11: Technology Infrastructure have a positive direct effect on Perceived Ease of Use

Hypothesis 12: Technology Infrastructure have a positive direct effect on Intention

Hypothesis 13: Technology Infrastructure have a positive indirect effect on Intention

Hypothesis 14: Technology Infrastructure have a positive indirect effect on User Acceptance

3. Methods

This study used the quantitative method with an ex-post facto approach. The study was conducted in April until June 2017 to find students' perception about the factors that influence the students' acceptance about usefulness of multimedia laboratory. The subject of this study was students who take Multimedia expertise in the Faculty of Engineering UNIMA with 185 total populations. Using Proportional Random Sampling, so the samples are: (i) 4th Semester: 23 respondents; (ii) 6th Semester: 30 respondents; and (iii) 8th Semester: 27 respondents.

The instrument of data collection in this study is questionnaire using Likert scoring, with four choice answers as follows: Strongly Agree (SA), Agree (A), Disagree (DS), and Strongly Disagree (SDS). Path analysis used as data analysis to measuring the relationship between variable and testing the hypothesis. Before testing the hypothesis, first, we take the classical assumptions test to ensure that the data been collected is worth enough to be processed using Path analysis.

3.1 Classical assumption test

Before performing multiple linear regressions testing, it needs to be done a classical assumption test first (**Table 1**), consisting of: (a) normality test, (b) linearity test, and (c) multicollinearity test. The model that formulated in this study was broken down into 5 substructures and then conducted a classical assumption test. The five substructures models are designed to facilitate the researcher in the process of data analysis.

The data is said to be normally distributed and has a linear relationship when the significance value is greater than the alpha value (Sig. > α), the alpha value is set at 5% or 0.05. Furthermore, the

IOP Conf. Series: Materials Science and Engineering 306 (2018) 012082 doi:10.1088/1757-899X/306/1/012082

multicollinearity test is done by looking at the magnitude of the VIF value, if VIF <10, then there is no multicollinearity between the independent and the dependent variable.

Var	- Normality	T 1	M. I		
Dependent	Independent	 Normality 	Linearity	Multicolinearity	
Perceived Usefulness	Internal Support		0.109	1.261	
	Technology Infrastructure	0.093	0.153	1.212	
	Perceived Ease of Use		0.241	1.045	
Technology Infrastructure	Internal Support	0.373	0.554	1.000	
Perceived Ease of Use	Technology Infrastructure	0.292	0.078	1.000	
Intention	Internal Support		0.369	1.108	
	Achnology Infrastructure	0.092	0.378	1.130	
	Perceived Usefulness	0.982	0.257	1.061	
	Perceived Ease of Use		0.278	1.103	
User Acceptance	Intention	0.637	0.104	1.000	

Table 1.	Classical	assump	tion	test	result
----------	-----------	--------	------	------	--------

3.2 Multiple regression analysis

After the classical assumption test has been met, then conducted regression analysis to answer the research hypothesis. The decision criteria used if the significance value higher than 0.05 then H_0 is accepted, otherwise if the significance lower than 0.05 then H_0 is rejected.

Var	A	\mathbf{R}^2	C 1.		
Dependent	Independent	• A	ĸ	Sig.	
Perceived Usefulness	Internal Support	14 A		0.012	
	Technology Infrastructure	1.242	0.313	0.569	
	Perceived Ease of Use			0.000	
Technology Infrastructure	Internal Support	8.223	0.172	0.000	
Perceived Ease of Use	Technology Infrastructure	19.602	0.055	0.036	
Intention	Internal Support			0.039	
	4 chnology Infrastructure	6 1 1 0	6.118 0.252	0.231	
	Perceived Usefulness	6.118		0.024	
	Perceived Ease of Use			0.039	
User Acceptance	Intention	10.855	0.079	0.012	

Table 2. Summary of the influence between dependent and independent variable.

The multiple regression analysis in **Table 2** and **Table 3** stated that there are two hypotheses were rejected, the 10^{th} hypothesis and the 12^{th} hypothesis (**Table 4**). Both hypotheses were rejected because they have a significance value greater than 0.05. While the other 12 hypotheses get a significance value lower than 0.05 (see **Table 4**).

3.3 Path analysis

Path analysis that used in this research is a trimming model. The trimming model is a model that's been used to improve a Path analysis structure by removing insignificant exogenous variables, then retesting.

Based on the trimming model analysis, the insignificant path coefficient are TI to PU (Sig = 0.569) and TI to IN (Sig = 0.231) which means greater than 0.05. Therefore, this variable path is excluded from the research model that has been formulated. After elimination, we conducted the regression test again. The improvement of the acceptance model by using trimming model illustrated in **Figure 2**.

Then, the answer of the hypothesis in this study are described in **Table 4**, where the value obtained the result of the second regression analysis after eliminating the insignificant exogenous variables. **Table 4** also describes the acquisition of path coefficient values that have an indirectly effect i.e. H8, H9, H13, and H14.

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 306 (2018) 012082 doi:10.1088/1757-899X/306/1/012082

V	Correlation coefficient					
Variables		Before elimination		After elimination		Sig.
Dependent	Independent	β	t-value	β	t-value	
Perceived Usefulness	Internal Support	0.275	2.576	0.299	3.094	0.003
	Technology Infrastructure	0.056	0.533	-	-	<u>-</u>
	Perceived Ease of Use	0.418	4.304	0.415	4.299	0.000
Technology Infrastructure	Internal Support	0.415	4.024	0.415	4.024	0.000
Perceived Ease of Use	Technology Infrastructure	0.235	2.136	0.235	2.136	0.036
Intention	Internal Support	0.221	2.099	0.245	2.362	0.021
	4 chnology Infrastructure	0.128	1.209	-	-	-
	Perceived Usefulness	0.237	2.300	0.236	2.289	0.025
	Perceived Ease of Use	0.221	2.102	0.254	2.499	0.015
User Acceptance	Intention	0.280	2.579	0.280	2.579	0.012

Table 3. Partia	1 influence of	dependent	and inde	pendent variable	-
rable S. ranna	i minuence oi	ucpendent	and muc	pendent vanable	




Figure 2. Final model of student's acceptance of multimedia laboratory.

Hi	Relationship	Effects	Sig. Value	в	Decision
H1	PU → IN	Direct	0.025	0.236	Accepted
H2	PEOU → PU	Direct	0.000	0.415	Accepted
H3	PEOU \rightarrow IN	Direct	0.015	0.254	Accepted
H4	IN →UA	Direct	0.012	0.280	Accepted
H5	$IS \rightarrow PU$	Direct	0.003	0.299	Accepted
H6	$IS \rightarrow IN$	Direct	0.021	0.245	Accepted
H7	IS → TI	Direct	0.000	0.415	Accepted
H8	$1S \rightarrow IN$	Indirect	20 C	0.100	Accepted
H9	IS → UA	Indirect	-	0.100	Accepted
H10	TI → PU	Direct	0.596	0.056	Rejected
H11	TI \rightarrow PEOU	Direct	0.036	0.235	Accepted
H12	$TI \rightarrow IN$	Direct	0.231	0.128	Rejected
H13	$TI \rightarrow IN$	Indirect	-	0.080	Accepted
H14	TI → UA	Indirect	2	0.022	Accepted

able 4.	Summary	of h	vpotheses	tests

IOP Conf. Series: Materials Science and Engineering 306 (2018) 012082 doi:10.1088/1757-899X/306/1/012082

4. Results and Discussion

4.1 TAM variables

This research aimed to make TAM as measurement about perceived usefulness, perceived ease of use, intention and situational variables to increasing users' number on multimedia laboratory utilization. The results of the analysis stated that Perceived Usefulness, Perceived Ease of Use, and the Internal Supper are the variables that directly affect to the student's intention to use multimedia laboratory. PU has a positive influence on IN with path coefficient of 0.236 (Hypothesis 1) and PEOU has a positive influence on IN with path coefficient of 0.254 (Hypothesis 3). In addition PEOU also has a positive correlation value on PU (Hypothesis 2) of 0.415. Futhermore, IN gives a direct positive effect on UA with coefficient value of 0.280 (Hypothesis 4).

Besides having a direct influence, these four TAM variables have a determinant coefficient (R^2) or an effective contribution based on it substructures. In the first substructure, 31% of PU are influenced by IS and PEOU. This means that 69% of PU is influenced by other factors outside the model formulated in this study. In the third substructure, 5% of PEOU is positively influenced by TI, which means that TI has very little effect on PEOU. There are three variables that together gives a positive influence to the intention in fourth substructure, i.e. IS, PU, and PEOU. These three variables provide a coefficient of determination of 24%. This means 76% IN influenced by other variables that are not formulated in this model. Furthermore UA has a coefficient of determination of 7% from IN, which means that 93% of UA is determined by other factors outside this study.

4.2 Internal support

In the research model design, IS has a direct and indirect effect on user acceptance decisions about the technology that has been used. IS has a direct positive effect on the other 3 variables, that is PU, IN, and TI. The path coefficient of IS to PU is 0.299 (Hypothesis 5), IS to IN of 0.245 (Hypothesis 6), and IS to TI of 0.415 (Hypothesis 7). IS also has an indirect effect on IN and UA, with the acquisition of each path coefficient is 0.100 (Hypotheses 8 and 9).

4.3 Technology infrastructure

In the design model on this study, TI has three direct and two indirect effects. However, based on the analysis that has been done, there are two paths from TI that are insignificant, that is direct influence of TI to PU and TI to IN Hypothesis 10 and 12). Therefore, both path are removed from model. On a significant paths, TI has a direct positive effect on PEOU with a path coefficient of 0.235 (Hypothesis 11), the indirect effect of TI to IN has a path coefficient of 0.080 (Hypothesis 13), and the indirect effect of TI 1 UA with a path coefficients of 0.022 (Hypothesis 14).

Besides having a direct and indirect effect, TI also has a coefficient of determination (R^2) or an effective contribution to the second substructure. There is 17% TI is influenced by IS, which means there are still 83% other factors outside the IS that are expected to greatly affect the percentage of TI.

5. Conclusions

This research aimed to make TAM as measurement about perceived usefulness, perceived ease of use, intention and situational variables to increasing users' number on multimedia laboratory utilization. Internal support and Technology infrastructure variables which act as a situational variable in this research. IS affected the acceptance of multimedia laboratory utilization indirectly through four lines of calculation, namely: (1) through PU and IN variables; (2) through the IN variable; (3) through TI, PEOU, and IN variables; and (4) through TI, PEOU, PU, and IN variables.

Furthermore, TI variable affected the acceptance of multimedia laboratory utilization indirectly through two lines of calculation, namely: (1) through PEOU and IN variables; and (2) through PEOU, PU, and IN. Thus these two variables have no direct influence on the acceptance of multimedia laboratory utilization, so this study is in line with the explanation of the actual TAM theory which is

IOP Publishing

IOP Conf. Series: Materials Science and Engineering 306 (2018) 012082 doi:10.1088/1757-899X/306/1/012082

stated that the intention as a single variable that directly affected the acceptance of multimedia laboratory utilization [15-17].

References

- Al Musawi A, Ambusaidi A, Al-Balushi S and Al-Balushi K 2015 Effectiveness of e-lab use in science teaching at the omani schools (Turkish: TOJET) 14 p 45-52.
- [2] Vaughan T 2011 Multimedia: Making it work (New York: McGraw Hills) p 2.
- [3] ICSU 2011 Report of the ICSU, Ad-hoc review panel on science education (Paris: International Council for Science) Accessed: 30.5.2014, At: http://www.icsu.org/publications/report.pdf.
- [4] Herrington D G and Nakhleh M B 2003 What Defines Effective Chemistry Laboratory Instruction? Teaching Assistant and Student Perspectives *Journal of Chemical Education* 8 p 1197.
- [5] Davis FD 1989 Perceived usefulness, perceived ease of use, and user acceptance of information technology MIS Quarterly 13 p 319-340.
- [6] Hu P J, Chau, P Y K, Sheng, O R L and Tam, K Y 1999 Examining the technology acceptance model using physical acceptance of telemedicine technology *Journal of Management Information Systems* 16 p 91-112.
- [7] Hsu H and Chang Y 2013 Extended TAM model: impacts of convenience on acceptance and use of moodle (US: China Education Review) 3 p 211-218.
- [8] Al Adwan A, Al-Adwan, A and Smedley 2013 Exploring students acceptance of e-learning using technology acceptance model in Jordanian universities *IJEDICT* 9 p 4-18.
- [9] Wong K T, Osman R, Goh, P S C and Rahmat M K 2013 Understanding student teachers' behavioural intention to use technology: technology acceptance model (TAM) validation and testing *International Journal of Instruction* 6 p 89-104.
- [10] Wu X and Gao Y 2011 Applying the extended technology acceptance model to the use of clickers in student learning: some evidence from macroeconomics classes American Journal of Business Education 4 p 43-50.
- [11] Coşkunçay D F and Özkan S 2013 A model for instructors' adoption of learning management systems: empirical validation in higher education context (Turkish: TOJET) 12 p 13-25.
- [12] Venkatesh V, Morris M G, Davis G B, and Davis F D 2003 User acceptance of information technology: toward a unified view MIS Quarterly 27 p 427.
- [13] Akande O M 1985 Hints on teaching practice and general principles of education (Lagos: OSKO Associates).
- [14] Owoeye J S and Yara P O 2011 School facilities and academic achievement of secondary school agricultural science in ekiti state (Nigeria: Asian Social Science) 7 p 64-74.
- [15] Davis F D, Bagozzi R P and Warshaw P R 1989 User acceptance of computer technology: A comparison of two theoretical models *Management Science* 35, p 982-1003.
- [16] Venkatesh V and Davis F D 2000 A theoretical extension of the technology acceptance model: four longitudinal field studies *Journal of Management Science* 46 p 186-204.
- [17] Tan P J B, Potamites P R and Wens-Chi L 2012 Applying the TAM to understand the factors affecting use of online banking in the Pescadores *Journal of Science and Technology* 2 p 1022-1028.

Mode	ong_2018	_IOP_ConfSer	MaterSci	Eng306_01208
ORIGINAL	ITY REPORT			
9% SIMILAR) RITY INDEX	8% INTERNET SOURCES	7% PUBLICATIONS	8% STUDENT PAPERS
PRIMARY	SOURCES			
	Submitted Student Paper	d to Napier Univ	ersity	1%
2	Rahim, A Governm	a, D Napitupulu, Ahmar. "User a ent Services Bas erence Series: N ing, 2018	cceptance of E- sed on TRAM m	nodel",
	www.toje			1%
4	Submitted Student Paper	d to University o	f Hull	1%
	china.iop	science.iop.org		1%
	Submitted Student Paper	d to Weber State	e University	1%
7	afis.kaist. Internet Source			1%

www.scribd.com

1%

9

Mohd Shoki Md Ariff, Michele Sylvester, Norhayati Zakuan, Khalid Ismail, Kamarudin Mat Ali. "Consumer Perceived Risk, Attitude and Online Shopping Behaviour; Empirical Evidence from Malaysia", IOP Conference Series: Materials Science and Engineering, 2014 Publication

Exclude quotes	On	Exclude matches	< 1%
Exclude bibliography	On		